


NPS55-78-019

NAVAL POSTGRADUATE SCHOOL

Monterey, California



SIMULATION METHODS FOR POISSON PROCESSES
IN NONSTATIONARY SYSTEMS

by

Peter A. W. Lewis

and

Gerald S. Shedler

AUGUST 1978

Approved for public release; distribution unlimited.

NAVAL POSTGRADUATE SCHOOL
MONTEREY, CALIFORNIA

Rear Admiral Tyler F. Dedman
Superintendent

Jack R. Borsting
Provost

Reproduction of all or part of this report is authorized.

This report was prepared by:

UNCLASSIFIED

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM
1. REPORT NUMBER NPS55-78-019	2. GOVT ACCESSION NO.	3. RECIPIENT'S CATALOG NUMBER
4. TITLE (and Subtitle) Simulation Methods for Poisson Processes in Nonstationary Systems		5. TYPE OF REPORT & PERIOD COVERED Technical
		6. PERFORMING ORG. REPORT NUMBER
7. AUTHOR(s) Peter A. W. Lewis and G. S. Shedler		8. CONTRACT OR GRANT NUMBER(s)
9. PERFORMING ORGANIZATION NAME AND ADDRESS Naval Postgraduate School Monterey, Ca. 93940		10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS 61153N, RR014-05-01 N0001478WR80035
11. CONTROLLING OFFICE NAME AND ADDRESS Office of Naval Research Arlington, VA 22217		12. REPORT DATE August 1978
		13. NUMBER OF PAGES
14. MONITORING AGENCY NAME & ADDRESS (if different from Controlling Office)		15. SECURITY CLASS. (of this report) Unclassified
		15a. DECLASSIFICATION/DOWNGRADING SCHEDULE
16. DISTRIBUTION STATEMENT (of this Report) Approved for public release; distribution unlimited.		
17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report)		
18. SUPPLEMENTARY NOTES		
19. KEY WORDS (Continue on reverse side if necessary and identify by block number) Nonhomogeneous Poisson processes Simulation; intensity function Thinning algorithm; gap statistics		
20. ABSTRACT (Continue on reverse side if necessary and identify by block number) The nonhomogeneous Poisson process is a widely used model for a series of events (stochastic point process) in which the "rate" or "intensity" of occurrence of points varies, usually with time. The process has the characteristic properties that the number of points in any finite set of non-overlapping intervals are mutually independent random variables, and that the number of points in any of these intervals has a Poisson distribution. In this paper we first discuss several general methods for simulation of the		

20. ABSTRACT Continued.

one-dimensional nonhomogeneous Poisson process; these include time-scale transformation of a homogeneous (rate one) Poisson process via the inverse of the integrated rate function, generation of the individual intervals between points, and generation of a Poisson number of order statistics from a fixed density function.

We then state a particular and very efficient method for simulation of nonhomogeneous Poisson processes with log-linear rate function. The method is based on an identity relating the nonhomogeneous Poisson process to the gap statistics from a random number of exponential random variables with suitably chosen parameters. This method can also be used, at the cost of programming complexity and some memory, as the basis for a very efficient technique for simulation of nonhomogeneous Poisson processes with more complicated rate functions such as a log-quadratic rate function.

Finally, we describe a simple and relatively efficient new method for simulation of one-dimensional and two-dimensional nonhomogeneous Poisson processes. The method is applicable for any given rate function and is based on controlled deletion of points in a Poisson process with a rate function that dominates the given rate function. In its simplest implementation, the method obviates the need for numerical integration of the rate function, for ordering of points, and for generation of Poisson variates. The thinning method is also applicable to the generation of individual intervals between points, as is required in many programs for discrete-event simulations.

SIMULATION METHODS FOR POISSON PROCESSES IN NONSTATIONARY SYSTEMS

Peter A. W. Lewis
Naval Postgraduate School
Monterey, California

Gerald S. Shedler
IBM Research Laboratory
San Jose, California

ABSTRACT

The nonhomogeneous Poisson process is a widely used model for a series of events (stochastic point process) in which the "rate" or "intensity" of occurrence of points varies, usually with time. The process has the characteristic properties that the number of points in any finite set of nonoverlapping intervals are mutually independent random variables, and that the number of points in any of these intervals has a Poisson distribution. In this paper we first discuss several general methods for simulation of the one-dimensional nonhomogeneous Poisson process; these include time-scale transformation of a homogeneous (rate one) Poisson process via the inverse of the integrated rate function, generation of the individual intervals between points, and generation of a Poisson number of order statistics from a fixed density function.

We then state a particular and very efficient method for simulation of nonhomogeneous Poisson processes with log-linear rate function. The method is based on an identity relating the nonhomogeneous Poisson process to the gap statistics from a random number of exponential random variables with suitably chosen parameters. This method can also be used, at the cost of programming complexity and some memory, as the basis for a very efficient technique for simulation of nonhomogeneous Poisson processes with more complicated rate functions such as a log-quadratic rate function.

Finally, we describe a simple and relatively efficient new method for simulation of one-dimensional and two-dimensional nonhomogeneous Poisson processes. The method is applicable for any given rate function and is based on controlled deletion of points in a Poisson process with a rate function that dominates the given rate function. In its simplest implementation, the method obviates the need for numerical integration of the rate function, for ordering of points, and for generation of Poisson variates. The thinning method is also applicable to the generation of individual intervals between points, as is required in many programs for discrete-event simulations.

1. INTRODUCTION

The one-dimensional nonhomogeneous (nonstationary) Poisson process (see e.g., [5, pp. 28-29; 3, pp. 94-101]) has the characteristic properties that the numbers of points in any finite set of nonoverlapping intervals are mutually independent random variables, and that the number of points in any interval has a Poisson distribution. The most general nonhomogeneous Poisson process can be defined in terms of a monotone, nondecreasing, right-continuous function $\Lambda(x)$ which is bounded in any finite interval. Then the number of points in any finite interval, for example $(0, x_0]$, has a Poisson distribution with parameter $\mu_0 = \Lambda(x_0) - \Lambda(0)$. In this paper we assume that $\Lambda(x)$ is continuous, but not necessarily

absolutely continuous. The right derivative $\lambda(x)$ of $\Lambda(x)$ is the rate function for the process; $\Lambda(x)$ is called the integrated rate function and has the interpretation that for $x \geq 0$, $\Lambda(x) - \Lambda(0) = E[N(x)]$, where $N(x)$ is the total number of points in $(0, x]$. Note that $\lambda(x)$ may jump at points at which $\Lambda(x)$ is not absolutely continuous. In contrast to the homogeneous Poisson process, i.e., $\lambda(x)$ a constant (usually denoted by λ), the intervals between the points in a one-dimensional nonhomogeneous Poisson process are neither independent nor identically distributed.

Applications of the one-dimensional nonhomogeneous Poisson process include modelling of the incidence of coal-mining disasters [5], the arrivals at an intensive care unit [12], transaction processing in a data base management system [15], occurrences of major freezes in Lake Constance [23], and geomagnetic reversal data [22]. The statistical analysis of trends in a one-dimensional nonhomogeneous Poisson process, based on the assumption of an exponential polynomial rate function, is discussed by [4, 5, 12 and 15].

One-dimensional nonhomogeneous Poisson processes are often used as models for event streams when there is gross inhomogeneity in a system, e.g., time of day effect or long-term growth in use of a facility. It is important to be able to simulate these processes since analytic results are difficult to obtain. This is particularly true in the context of queueing systems; see e.g., [19]. The methods given here for simulation of the one-dimensional nonhomogeneous Poisson process have application, for example, to study of the length of a queue at a toll booth at a time corresponding to the peak traffic time, or to study of the arrivals at an intensive care unit where the probability of a

bed being free at a time corresponding to the peak of arrivals from afternoon operations is of interest. Note that in simulations of nonhomogeneous systems of this kind, estimates of measures of system behavior will be based on multiple replications.

The two-dimensional homogeneous Poisson process (of rate $\lambda > 0$) is defined by the properties that the numbers of points in any finite set of nonoverlapping regions having areas in the usual geometric sense are mutually independent, and that the number of points in any region of area A has a Poisson distribution with mean λA ; see e.g., [10, pp. 31-32]. Note that the number of points in a region R depends on its area, but not on its shape. The homogeneous Poisson process arises as a limiting two-dimensional point process with respect to a number of limiting operations; cf., [7,8]. Properties of the process are given in [18]. Applications of the two-dimensional homogeneous Poisson process to problems in ecology and forestry have been discussed in [24] and [9]. The model also arises in connection with naval search and detection problems.

The two-dimensional nonhomogeneous Poisson process is characterized by a (continuous) positive rate function $\lambda(x,y)$. Applications of the two-dimensional nonhomogeneous Poisson process include problems in forestry as well as naval search and detection. The detection and statistical analysis of trends in the two-dimensional nonhomogeneous Poisson process is discussed in [21].

2. SIMULATION OF THE ONE-DIMENSIONAL NONHOMOGENEOUS POISSON PROCESS

There are a number of methods for simulating one-dimensional nonhomogeneous Poisson process which we review briefly. Time-scale transformation of a homogeneous (rate one) Poisson process via the inverse

of the integrated rate function $\Lambda(x)$ constitutes a first general method; cf. [3, pp. 96-97]. This method is based on the result that X_1, X_2, \dots are the points in a nonhomogeneous Poisson process with continuous integrated rate functions $\Lambda(x)$ if and only if $X'_1 = \Lambda(X_1), X'_2 = \Lambda(X_2), \dots$, are the points in a homogeneous Poisson process of rate one. The time-scale transformation method is a direct analogue of the inverse probability integral transformation method for generating (continuous) nonuniform random numbers. For many rate functions, inversion of $\Lambda(x)$ is not simple and must be done numerically; cf., [6] and [20]. The resulting algorithm for simulation of the nonhomogeneous Poisson process may be far less efficient than simulation based on other methods.

A second general method for simulating a one-dimensional nonhomogeneous Poisson process with integrated rate function $\Lambda(x)$ is to generate the intervals between points individually, an approach which may seem more natural in the event scheduling approach to simulation. Thus, given the points $X_1 = x_1, X_2 = x_2, \dots, X_i = x_i$, with $x_1 < x_2 < \dots < x_i$, the interval to the next point, $X_{i+1} - X_i$, is independent of x_1, \dots, x_{i-1} and has distribution function $F(x) = 1 - \exp[-\{\Lambda(x_i + x) - \Lambda(x_i)\}]$. It is possible to find the inverse distribution function $F^{-1}(\cdot)$, usually numerically, and generate $X_{i+1} - X_i$ according to $X_{i+1} - X_i = F^{-1}(U_i)$, where U_i is a uniform random number on the interval $(0,1)$. Note, however that this not only involves computing the inverse distribution function for each interval $X_{i+1} - X_i$, but that each distribution has different parameters and possibly a different form. An additional complication is that $X_{i+1} - X_i$ is not necessarily a proper random variable, i.e. there may be positive probability that $X_{i+1} - X_i$ is infinite. It is necessary to take this into account for each interval $X_{i+1} - X_i$ before the inverse probability

integral transformation is applied. The method is therefore very inefficient with respect to speed, more so than the time-scale transformation method.

In a third method, simulation of a non-homogeneous Poisson process in a fixed interval $(0, x_0]$ can be reduced to the generation of a Poisson number of order statistics from a fixed density function by the following result; cf., [5, p. 45]. If X_1, X_2, \dots, X_n are the points of the nonhomogeneous Poisson process in $(0, x_0]$, and if $N(x_0) = n$, then conditional on having observed $n (> 0)$ points in $(0, x_0]$, the X_i are distributed as the order statistics from a sample of size n from the distribution function $\{\Lambda(x) - \Lambda(0)\} / \{\Lambda(x_0) - \Lambda(0)\}$, defined for $0 < x \leq x_0$. Simulation of the nonhomogeneous Poisson process based on order statistics is in general more efficient (with respect to speed) than either of the previous two methods. Of course, a price is paid for this greater efficiency. First, it is necessary to be able to generate Poisson variates, and second, more memory is needed than in the interval-by-interval method to store the sequence of points. Enough memory must be provided so that with very high probability the random number of points generated in the interval can be stored. Recall that the number of points in the interval $(0, x_0]$ has a Poisson distribution with mean $\mu_0 = \Lambda(x_0) - \Lambda(0)$. Memory of size, e.g., $\mu_0 + 4\mu_0^{1/2}$ will ensure that overflow will occur on the average in only 1 out of approximately 40,000 realizations. This probability is small enough so that in case of overflow, the realization of the process generally can be discarded.

We now summarize several recently developed methods for simulating one- and two-dimensional nonhomogeneous Poisson processes. These methods are discussed in greater detail in [14, 16, 17].

3. SIMULATION USING GAP STATISTICS

In a previous paper [14], we have considered the simulation of nonhomogeneous Poisson processes with degree-one exponential polynomial rate function, i.e., $\lambda(x)$ of the form

$$\lambda(x) = \exp\{\gamma_0 + \gamma_1 x\} = \lambda \exp\{\gamma_1 x\}, \quad \gamma_1 \neq 0. \quad (1)$$

The rate function (1) is the simplest of a general family of log-linear rate functions, i.e., rate functions whose logarithms are linear in the coefficients [4; 12] which are useful in analyzing nonhomogeneous Poisson processes. The rate function (1) represents a situation in which the rate is monotonically increasing or decreasing depending on whether γ_1 is greater than or less than zero, with γ_1 equal to zero giving a homogeneous Poisson process. The case where γ_1 is less than zero and the case where γ_1 is greater than zero are quite distinct; in the first situation $\lambda(x) \rightarrow 0$ as $x \rightarrow \infty$, and in the second, $\lambda(x) \rightarrow \infty$ as $x \rightarrow \infty$. Moreover, when γ_1 is less than 0, the intervals between events are not proper random variables since there is a nonzero probability that there is no event after any fixed point x .

In [14] a method for simulating the nonhomogeneous Poisson process is given based on an identity relating the nonhomogeneous Poisson process with rate function (1) to the gap statistics from a random number of exponential random variables with suitably chosen parameters. This method avoids costly ordering and taking of logarithms required by direct simulation methods and is more efficient than time-scale transformation of a homogeneous Poisson process via the inverse of the integrated rate function $\Lambda(x)$.

Simulation of the one-dimensional nonhomogeneous Poisson process in a fixed interval $(0, x_0]$ is more natural than simulation for a fixed

number of events since time, not serial number, is the basic parameter of the inhomogeneity discussed here. Thus the gap statistics algorithm for simulation of the nonhomogeneous Poisson process generates the sequence of times-to-events in a fixed interval. Although such a method requires more memory than successive generation of individual times until the next event, it is far more efficient.

We now state the method of Lewis and Shedler [14] for simulation via gap statistics of the one-dimensional nonhomogeneous Poisson process with rate function (1). This scheme, which is particular to the degree-one exponential polynomial rate function, can use standard packages for exponential random numbers (e.g., [13]) and obviates the need for ordering of the random numbers. It is based on the result (see [25]) that the gap process associated with a Poisson distributed (parameter $-\lambda/\gamma_1 > 0$) number of exponential (parameter $\beta = -\gamma_1 > 0$) gap statistics is a nonhomogeneous Poisson process with rate function $\lambda(x) = \lambda \exp(\gamma_1 x)$ on $(0, \infty)$. Efficient methods for generation of Poisson random numbers for which the generation time does not increase proportionally with the mean are given by [1,2] and [11].

Assuming the availability of a source of unit exponential random numbers E_1, E_2, \dots , obtained by logarithms or by other methods, the resulting algorithm for generating the events in the nonhomogeneous Poisson process is as follows.

Algorithm 1. Gap Statistics Technique ($\gamma_1 < 0$).

1. Generate m as a Poisson random number with parameter $-\lambda/\gamma_1$. If $m = 0$, exit; there are no events in $(0, x_0]$.
2. For $m > 0$, if $E_1/(\beta m)$ is greater than x_0 , exit; there are no events in $(0, x_0]$. Otherwise, set $E_1/(\beta m)$ equal to X_1 .

3. If $E_2/\{\beta(m-1)\} + X_1 > x_0$, then return X_1 and exit. Otherwise, set it equal to X_2 .
4. Continue, possibly for m times. If $E_m/\beta + X_{m-1} > x_0$, return X_1, X_2, \dots, X_{m-1} and exit. Otherwise, set this equal to X_m , return X_1, X_2, \dots, X_m and exit.

The case $\gamma_1 > 0$ is handled in the same way as $\gamma_1 < 0$ by using a time-reversal technique, as follows. Simulate according to Algorithm 1 with $\lambda(x) = \lambda^\# \times \exp\{\gamma_1^\# x\}$, where $\lambda^\# = \exp\{\gamma_0 + \gamma_1 x_0\}$ and $\gamma_1^\# = -\gamma_1$. The output of Algorithm 1 is a sequence $X_1^\#, X_2^\#, \dots, X_n^\#$. Then set $X_1 = x_0 - X_n^\#, X_2 = x_0 - X_{n-1}^\#, \dots, X_n = x_0 - X_1^\#$. These X_i are the required events in the nonhomogeneous Poisson process for $\gamma_1 > 0$.

Lewis and Shedler [16] consider the simulation in a fixed interval of the nonhomogeneous Poisson process with degree-two exponential polynomial rate function

$$\lambda(x) = \exp\{\alpha_0 + \alpha_1 x + \alpha_2 x^2\}, \quad \alpha_2 \neq 0 \quad (2)$$

the case $\alpha_2 = 0$ giving the degree-one exponential polynomial rate function. Again, the case where α_2 is less than zero and the case where α_2 is greater than zero are distinct. The simulation method given is based on representation of the process as a superposition of two independent nonhomogeneous Poisson processes, one of which has a fitted rate function of the form (1); simulation of the latter process is accomplished via the gap statistics algorithm [14]. A rejection-acceptance technique is used to generate the other, more complex, nonhomogeneous Poisson process. The resulting algorithm is more efficient than time-scale transformation of a homogeneous Poisson process; see [20]. This method can be improved by using the thinning algorithm given in the next section to simulate the second nonhomogeneous Poisson process. The method can also be

extended to more complex rate functions than the degree-two exponential polynomial.

4. SIMULATION OF NONHOMOGENEOUS POISSON PROCESSES BY THINNING

In this section we describe a new method [17] for simulating a nonhomogeneous Poisson process. The method is not only conceptually simple, but is also computationally simple and relatively efficient. In fact, at the cost of some efficiency, the method can be applied to simulate the given nonhomogeneous Poisson process without the need for numerical integration or routines for generating Poisson variates. Used in conjunction with the special methods given by Lewis and Shedler [14,16], the method can be used to simulate quite efficiently nonhomogeneous Poisson processes with rather complex rate function, in particular, combinations of long-term trends and fixed-cycle effects. The method is also easily extended to the problem of simulating the two-dimensional nonhomogeneous Poisson process (see Section 5), and of simulating conditional and doubly stochastic Poisson processes.

Simulation of a nonhomogeneous Poisson process with general rate function $\lambda(x)$ in a fixed interval $(0, x_0]$ can be based on thinning of a nonhomogeneous Poisson process with rate function $\lambda^*(x) \geq \lambda(x)$. The main result [17, Theorem 1] is that if $X_1^*, X_2^*, \dots, X_{N^*(x_0)}^*$ are the points of the process with rate function $\lambda^*(x)$ in the interval $(0, x_0]$ and if the point X_i^* is deleted with (independent) probability $1 - \lambda(X_i^*)/\lambda^*(X_i^*)$, then the remaining points form a nonhomogeneous Poisson process with rate function $\lambda(x)$ in the interval $(0, x_0]$.

This result is the basis for the method of simulating one-dimensional nonhomogeneous Poisson processes on an interval $(0, x_0]$ given by Algorithm 2.

Algorithm 2. One-Dimensional Nonhomogeneous Poisson Process (Thinning)

1. Generate points in the nonhomogeneous Poisson process $\{N^*(x)\}$ with rate function $\lambda^*(x)$ in the fixed interval $(0, x_0]$. If the number of points generated, n^* , is such that $n^* = 0$, exit; there are no points in the process $\{N(x)\}$.
2. Denote the (ordered) points by $X_1^*, X_2^*, \dots, X_{n^*}^*$. Set $i = 1$ and $k = 0$.
3. Generate U_i , uniformly distributed between 0 and 1. If $U_i \leq \lambda(X_i^*)/\lambda^*(X_i^*)$, set k equal to $k+1$ and $X_k = X_i^*$.
4. Set i equal to $i+1$. If $i \leq n^*$, go to 3.
5. Return X_1, X_2, \dots, X_n , where $n = k$, and also n .

The method of thinning of Algorithm 2 is essentially the obverse of the conditional method of Section 2 using conditioning and acceptance-rejection techniques to generate the random variables with density function $\lambda(x)/\{\Lambda(x) - \Lambda(0)\}$ [16, Algorithm 3]. The differences are subtle, but computationally important. In the acceptance-rejection method, it is first necessary to generate a Poisson variate with mean $\mu_0 = \Lambda(x_0) - \Lambda(0)$, and this involves an integration of the rate function $\lambda(x)$. Then the $\text{Poisson}(\mu_0)$ number, n , of variates generated by acceptance-rejection must be ordered to give X_1, X_2, \dots, X_n .

In the simplest form of the method of thinning, $\lambda^*(x)$ is taken equal to $\lambda^* = \max_{0 \leq x \leq x_0} \lambda(x)$, so that, for instance the points $X_1^*, X_2^*, \dots, X_{n^*}^*$ can be generated by cumulating exponential(λ^*) variates until the sum is greater than x_0 (cf. [14, Algorithm 1]). The generated points are then thinned. No ordering, no integration of $\lambda(x)$ and no generator of Poisson variates

is required. Of course for both algorithms to be efficient, computation of $\lambda(x)$ and $\lambda^*(x)$ must be easy relative to computation of the inverse of $\Lambda(x)$.

For the thinning algorithm (as well as the algorithm based on conditioning and acceptance-rejection) efficiency as measured by the number of points deleted is proportional to

$$\mu_0/\mu_0^* = \{\Lambda(x_0) - \Lambda(0)\}/\{\Lambda^*(x_0) - \Lambda^*(0)\};$$

this is the ratio of the areas between 0 and x_0 under $\lambda(x)$ and $\lambda^*(x)$. Thus, $\lambda^*(x)$ should be as close as possible to $\lambda(x)$ consistent with ease of simulating the nonhomogeneous Poisson process $\{N^*(x): x \geq 0\}$.

It is important to note that the method of thinning can be used to generate individual intervals between events occurring in $(0, x_0]$ if $\lambda(x)$ is bounded on $(0, x_0]$. The resulting algorithm is not only useful in the event scheduling approach to simulation, but also in the generation of conditional Poisson processes. Informally, the "one at a time" thinning algorithm is as follows. If $\lambda^*(x) = \lambda \geq \max_{0 \leq x \leq x_0} \lambda(x)$, then the i th interval $X_i - X_{i-1}$ is obtained by generating and cumulating exponential(λ^*) random numbers $E_{i,1}^*, E_{i,2}^*, \dots$ until, for the first time,

$$U_{i,j} \leq \lambda(X_{i-1} + E_{i,1}^* + \dots + E_{i,j}^*)/\lambda^*,$$

$$i = 1, 2, \dots; \quad j = 1, 2, \dots,$$

where the $U_{i,j}$ are independent, uniform $(0, 1)$ random numbers.

5. SIMULATION OF TWO-DIMENSIONAL HOMOGENEOUS POISSON PROCESSES

Recall that the two-dimensional homogeneous Poisson process (of rate $\lambda > 0$) has the characteristic properties that the numbers of points in any finite set of

nonoverlapping regions having areas in the usual geometric sense are mutually independent, and that the number of points in any region of area A has a Poisson distribution with mean λA .

In considering the two-dimensional homogeneous Poisson process, projection properties of the process depend quite critically on the geometry of the regions considered. These projection properties are simple for rectangular and circular regions, and make simulation of the homogeneous process quite easy. We consider here the case of a rectangular region. The following result forms the basis for simulation of the two-dimensional homogeneous Poisson process of rate λ in a fixed rectangle $R = \{(x, y) : 0 \leq x \leq x_0, 0 < y \leq y_0\}$. If $(X_1, Y_1), (X_2, Y_2), \dots, (X_N, Y_N)$ denote the positions of the points of the process in R , labelled so that $X_1 < X_2 < \dots$, then X_1, X_2, \dots, X_N form a one-dimensional homogeneous Poisson process on $0 \leq x \leq x_0$ of rate λy_0 ; if the points are relabelled $(X'_1, Y'_1), (X'_2, Y'_2), \dots, (X'_N, Y'_N)$ so that $Y'_1 < Y'_2 < \dots < Y'_N$, then Y'_1, Y'_2, \dots, Y'_N form a one-dimensional homogeneous Poisson process on $0 < y \leq y_0$ of rate λx_0 .

We state next conditional properties of the Poisson process in a rectangle. The important thing to note is that although the processes obtained by projection of the points onto the x and y axes are not independent, there is a type of conditional independence which makes it easy to simulate the two-dimensional process. Thus, conditional on having observed $n > 0$ points $(X_1, Y_1), (X_2, Y_2), \dots, (X_n, Y_n)$ in R , labelled so that $X_1 < X_2 < \dots < X_n$, the X_1, X_2, \dots, X_n are uniform order statistics on $0 \leq x \leq x_0$, and the Y_1, Y_2, \dots, Y_n are independent and uniformly distributed on $0 < y \leq y_0$, independent of the X_i .

From these two results, the following simulation procedure is obtained.

Algorithm 3. Two-Dimensional Homogeneous Poisson Process in a Rectangle

1. Generate points in the one-dimensional homogeneous Poisson process of rate λy_0 on $(0, x_0]$. If the number of points generated, n , is such that $n = 0$, exit; there are no points in the rectangle.
2. Denote the points generated by $X_1 < X_2 < \dots < X_n$.
3. Generate Y_1, Y_2, \dots, Y_n independent, uniformly distributed random numbers on $(0, y_0]$.
4. Return $(X_1, Y_1), (X_2, Y_2), \dots, (X_n, Y_n)$ as the coordinates of the two-dimensional homogeneous Poisson process in the rectangle, and n .

Note that generation of the points X_1, X_2, \dots, X_n in steps 1 and 2 can be accomplished by cumulating exponential(λy_0) random numbers. Alternatively, after generating a Poisson random number $N = n$ (with parameter $\lambda x_0 y_0$), n independent, uniformly distributed random numbers on $(0, x_0]$ can be ordered; see [14, p. 502].

The basis for another algorithm for simulation of the two-dimensional homogeneous Poisson process in a rectangle is the following corollary. Denote the Poisson points by $(X_1, Y_1), (X_2, Y_2), \dots$, where the index does not necessarily denote an ordering on either axis. Conditionally, the pairs $(X_1, Y_1), (X_2, Y_2), \dots, (X_N, Y_N)$ are independent random variables, and furthermore, for each pair (X_i, Y_i) , X_i is distributed uniformly between 0 and x_0 , independently of Y_i , which is uniformly distributed between 0 and y_0 .

Direct generation of homogeneous Poisson points in noncircular or nonrectangular regions is difficult. The processes obtained by projection of the points on the two axes are nonhomogeneous Poisson processes with complex rate functions determined by the geometry of the region. However, the conditional independence which is found in

circular and rectangular regions for the processes on the two axes is not present. In particular, given that there are n points $(X_1, Y_1), \dots, (X_n, Y_n)$ in a nonrectangular region, the pairs (X_i, Y_i) are mutually independent, but X_i is in general not independent of Y_i , $i=1, 2, \dots, n$. Therefore it is simpler to enclose the region in either a circle or a rectangle, generate a homogeneous Poisson process in the enlarged area, and subsequently exclude points outside of the given region.

6. SIMULATION OF TWO-DIMENSIONAL NONHOMOGENEOUS POISSON PROCESSES

The two-dimensional nonhomogeneous Poisson process $\{N(x, y) : x \geq 0, y \geq 0\}$ is specified by a positive rate function $\lambda(x, y)$ which for simplicity is assumed here to be continuous. Then the process $\{N(x, y)\}$ has the characteristic properties that the numbers of points in any finite set of nonoverlapping regions having areas in the usual geometric sense are mutually independent, and that the number of points in any such region R has a Poisson distribution with mean $\Lambda(R)$; here $\Lambda(R)$ denotes the integral of $\lambda(x, y)$ over R , i.e., over the entire area of R .

The basic result of Section 4 on thinning of one-dimensional nonhomogeneous Poisson processes generalizes to two-dimensional nonhomogeneous Poisson processes. Thus, suppose that $\lambda(x, y) \leq \lambda^*(x, y)$ in a fixed rectangular region of the plane. If a nonhomogeneous Poisson process with rate function $\lambda^*(x, y)$ is thinned according to $\lambda(x, y)/\lambda^*(x, y)$ (i.e., each point (X_i, Y_i) is deleted independently if a uniform $(0, 1)$ random number U_i is greater than $\lambda(X_i, Y_i)/\lambda^*(X_i, Y_i)$), the result is nonhomogeneous Poisson process with rate function $\lambda(x, y)$.

The nonhomogeneous Poisson process with rate function $\lambda(x, y)$ in an arbitrary but

fixed region R can be generated by enclosing the region R either in a circle [17] or a rectangle, and applying Algorithm 3. The following procedure assumes that the region R has been enclosed in a rectangle R^* , and that $\lambda^* = \max\{\lambda(x, y) : x, y \in R\}$ has been determined; here the bounding process is homogeneous with rate λ^* in the rectangle R^* .

Algorithm 4. Two-Dimensional Nonhomogeneous Poisson Process (Thinning)

1. Using Algorithm 2, generate points in the homogeneous Poisson process of rate λ^* in the rectangle R^* . If the number of points, n^* , is such that $n^* = 0$, exit; there are no points in the nonhomogeneous Poisson process.
2. From the n^* points generated in 1, delete the points that are not in R , and denote the remaining points by $(X_1^*, Y_1^*), (X_2^*, Y_2^*), \dots, (X_m^*, Y_m^*)$ with $X_1^* < X_2^* < \dots < X_m^*$. Set $i = 1$ and $k = 0$.
3. Generate U_i uniformly distributed between 0 and 1. If $U_i \leq \lambda(X_i^*, Y_i^*)/\lambda^*$, set $k = k+1$, $X_k = X_i^*$ and $Y_k = Y_i^*$.
4. Set i equal to $i+1$. If $i \leq m^*$, go to 3.
5. Return $(X_1, Y_1), (X_2, Y_2), \dots, (X_n, Y_n)$, where $n = k$ and n .

7. CONCLUSION

We have summarized previously known general methods for simulating nonhomogeneous Poisson processes in one dimension. In addition, we have described the simple and efficient new methods of Lewis and Shedler for simulating nonhomogeneous Poisson processes in one and two dimensions. Extensions of the thinning algorithm to the simulation of homogeneous or nonhomogeneous conditional or doubly stochastic Poisson processes will be described elsewhere.

REFERENCES

1. Ahrens, J. and Dieter, U. (1974a). Computer methods for sampling from gamma, beta, Poisson and binomial distributions. Computing, Vol. 12, pp. 223-46.
2. Ahrens, J. and Dieter, U. (1974b). Non Uniform Random Numbers, Graz, Austria: Technische Hochschule in Graz.
3. Çinlar, E. (1975). Introduction to Stochastic Processes. Englewood Cliffs, New Jersey: Prentice-Hall.
4. Cox, D. R. (1972). The statistical analysis of dependencies in point processes. In Stochastic Point Processes, ed. P. A. W. Lewis, pp. 55-56, New York: Wiley.
5. Cox, D. R. and Lewis, P. A. W. (1966). The Statistical Analysis of Series of Events. London: Methuen.
6. Gilchrist, R. (1977). Some problems encountered in generating realisations from a useful nonhomogeneous Poisson process. In Proceedings of the European Congress of Statisticians 1976, Ed. J. R. Barra et al., Amsterdam: North Holland.
7. Goldman, J. R. (1967a). Stochastic point processes: limit theorems. Ann. Math. Stat., Vol. 38, pp. 771-79.
8. Goldman, J. R. (1967b). Infinitely divisible point processes in R^n . J. Math. Anal. Appl. Vol. 17, pp. 133-46.
9. Holgate, F. (1972). The use of distance methods for the analysis of spatial distributions of points. In Stochastic Point Processes, Ed. P. A. W. Lewis, pp. 122-35. New York: Wiley.
10. Karlin, S. and Taylor, H.M. (1975). A First Course in Stochastic Processes. New York: Academic Press.
11. Knuth, D. E. (1969). The Art of Computer Programming, Vol. 2, Semi-Numerical Algorithms, Reading, Massachusetts: Addison-Wesley.
12. Lewis, P. A. W. (1972). Recent advances in the statistical analysis of univariate point processes. In Stochastic Point Processes, Ed. P. A. W. Lewis, pp. 1-54. New York: Wiley.
13. Lewis, P. A. W. and Learmonth, G. (1973). Naval Postgraduate School random number generator package LLRANDOM. Naval Postgraduate School Report NPS55Lw73061A. Monterey, California.
14. Lewis, P. A. W. and Shedler, G. S. (1976a). Simulation of nonhomogeneous processes with log-linear rate function. Biometrika, Vol. 63, pp. 501-05.
15. Lewis, P. A. W. and Shedler, G. S. (1976b). Statistical analysis of a non-stationary series of events in a data base system. IBM J. Res. Devel., Vol. 20, pp. 465-82.
16. Lewis, P. A. W. and Shedler, G. S. (1977). Simulation of nonhomogeneous Poisson processes with degree-two exponential polynomial rate function. IBM Research Report RJ 1953. San Jose, California.
17. Lewis, P. A. W. and Shedler, G. S. (1978). Simulation of nonhomogeneous Poisson processes by thinning. IBM Research Report RJ 2286. San Jose, California.
18. Miles, R. E. (1970). On the homogeneous planar Poisson point process. Mathematical Biosciences, Vol. 6, pp. 85-127.
19. Newell, G. F. (1968). Queues with time-dependent arrival rates (I, II, III). J. Appl. Prob., Vol. 5, pp. 436-451, 479-490, 591-606.
20. Patrow, M. L. (1977). A comparison of two algorithms for the simulation of nonhomogeneous Poisson processes with degree-two exponential polynomial intensity function. M.S. Thesis, Department of Operations Research. Naval Postgraduate School. Monterey, California (National Technical Information Service, Springfield, Virginia; AD-A047164.)
21. Rantschler, R. D. (1973). The detection and estimation of trends in two-dimensional Poisson processes. M.S. Thesis. Department of Operations Research. Naval Postgraduate School. Monterey, California. (National Technical Information Service, Springfield, Virginia; AD-A76136.)
22. Reymont, R. A. (1976). Geomagnetic reversal data statistically appraised. Tectonophysics, Vol. 31, pp. 73-91.
23. Steinijans, V. (1970). A stochastic point process model of the occurrence of major freezes in Lake Constance. Appl. Statistics, Vol. 25, pp. 58-61.
24. Thompson, H. R. (1955). Spatial point processes with applications to ecology. Biometrika, Vol. 42, pp. 102-15.
25. Vere-Jones, D. (1970). Stochastic models for earthquake occurrence. J. Roy. Statist. Soc. B, Vol. 32, pp. 1-62.

Acknowledgments. Support under Office of Naval Research Grant NR-42-343 and National Science Foundation Grant AF476 is gratefully acknowledged by P.A.W. Lewis

DISTRIBUTION LIST

NO. OF COPIES

STATISTICS AND PROBABILITY PROGRAM
OFFICE OF NAVAL RESEARCH
CODE 436
ARLINGTON
VA

22217

1

OFFICE OF NAVAL RESEARCH
NEW YORK AREA OFFICE
715 BROADWAY - 5TH FLOOR
ATTN: DR. ROGER GRAFTON
NEW YORK, NY

10003

1

DIRECTOR
OFFICE OF NAVAL RESEARCH BRANCH OFF
536 SOUTH CLARK STREET
ATTN: DEPUTY AND CHIEF SCIENTIST
CHICAGO, IL

60605

1

LIBRARY
NAVAL OCEAN SYSTEMS CENTER
SAN DIEGO
CA

92152

1

NAVY LIBRARY
NATIONAL SPACE TECHNOLOGY LAB
ATTN: NAVY LIBRARIAN
CAY ST. LOUIS
MS

39522

1

NAVAL ELECTRONIC SYSTEMS COMMAND
NAVELEX 320
NATIONAL CENTER NO. 1
ARLINGTON
VA

20360

1

DIRECTOR NAVAL RESEARCH LABORATORY
ATTN: LIBRARY (ONRL)
CODE 2029
WASHINGTON, D.C.

20375

1

DEFENSE DOCUMENTATION CENTER
CAMERON STATION

2

ALEXANDRIA
VIRGINIA 22314

TECHNICAL INFORMATION DIVISION
NAVAL RESEARCH LABORATORY

1

WASHINGTON, D. C.

20375

NO. OF COPIES

OFFICE OF NAVAL RESEARCH
SAN FRANCISCO AREA OFFICE
760 MARKET STREET
SAN FRANCISCO CALIFORNIA 94102

1

TECHNICAL LIBRARY
NAVAL ORDNANCE STATION
INDIAN HEAD MARYLAND 20640

1

NAVAL SHIP ENGINEERING CENTER
PHILADELPHIA
DIVISION TECHNICAL LIBRARY
PHILADELPHIA PENNSYLVANIA 19112

1

BUREAU OF NAVAL PERSONNEL
DEPARTMENT OF THE NAVY
TECHNICAL LIBRARY
WASHINGTON D. C. 20370

1

LIBRARY CODE 0212
NAVAL POSTGRADUATE SCHOOL
MONTEREY CALIFORNIA 93940

1

PROF. M. AEDEL-HAMEED
DEPARTMENT OF MATHEMATICS
UNIVERSITY OF NORTH CAROLINA
CHARLOTTE
NC

28223

1

PROF. T. W. ANDERSON
DEPARTMENT OF STATISTICS
STANFORD UNIVERSITY
STANFORD , CALIFORNIA 94305

1

PROF. F. J. ANSCOMBE
DEPARTMENT OF STATISTICS
YALE UNIVERSITY
NEW HAVEN
CONNECTICUT 06520

1

PROF. L. A. ARCIA
INSTITUTE OF INDUSTRIAL
ADMINISTRATION
UNION COLLEGE
SCHENECTADY,
NEW YORK 12308

1

PROF. C. R. BAKER
DEPARTMENT OF STATISTICS
UNIVERSITY OF NORTH CAROLINA
CHAPEL HILL,
NORTH CAROLINA
27514

1

PROF. R. E. BECHOFER
DEPARTMENT OF OPERATIONS RESEARCH
CORNELL UNIVERSITY
ITHACA
NEW YORK 14850

1

PROF. N. J. BERSHAD
SCHOOL OF ENGINEERING
UNIVERSITY OF CALIFORNIA
IRVINE,
CALIFORNIA
92664

1

P. J. BICKEL
DEPARTMENT OF STATISTICS
UNIVERSITY OF CALIFORNIA
BERKELEY, CALIFORNIA

1

94720

PROF. F. W. BLICK
DEPARTMENT OF MATHEMATICS
UNIVERSITY OF PITTSBURGH
PITTSBURGH
PA

1

15260

PROF. JOSEPH BLUM
DEPT. OF MATHEMATICS, STATISTICS
AND COMPUTER SCIENCE
THE AMERICAN UNIVERSITY
WASHINGTON
DC

1

20016

PROF. R. A. BRADLEY
DEPARTMENT OF STATISTICS
FLORIDA STATE UNIVERSITY

1

TALLAHASSEE, FLORIDA 32306

PROF. R. E. BARLOW
OPERATIONS RESEARCH CENTER
COLLEGE OF ENGINEERING
UNIVERSITY OF CALIFORNIA
BERKELEY
CALIFORNIA 94720

1

MR. C. N. BENNETT
NAVAL COASTAL SYSTEMS LABORATORY
CODE P761
PANAMA CITY,
FLORIDA
32401

1

PROF. U. N. BHAT
COMPUTER SCIENCE / OPERATIONS
RESEARCH CENTER
SOUTHERN METHODIST UNIVERSITY
DALLAS,
TEXAS 75275

1

PROF. W. R. BLISCHKE
DEPT. OF QUANTITATIVE
BUSINESS ANALYSIS
UNIVERSITY OF SOUTHERN CALIFORNIA
LOS ANGELES, CALIFORNIA

1

90007

DR. DERRILL J. BORDELON
NAVAL UNDERWATER SYSTEMS CENTER
COCE 21
NEWPORT
RI

1

C2840

J. E. BOYER JR
DEPT. OF STATISTICS
SOUTHERN METHODIST UNIVERSITY
DALLAS
TX

1

75275

DR. J. CHANDRA
U. S. ARMY RESEARCH
P. O. BOX 12211
RESEARCH TRIANGLE PARK,
NORTH CAROLINA
27706

1

PROF. F. CHERNOFF
DEPT. OF MATHEMATICS
MASS INSTITUTE OF TECHNOLOGY
CAMBRIDGE,
MASSACHUSETTS 02139

1

PROF. C. DERMAN
DEPARTMENT OF CIVIL ENGINEERING
AND ENGINEERING MECHANICS
COLUMBIA UNIVERSITY
NEW YORK
NEW YORK

1

10027

PROF. R. L. DISNEY
VIRGINIA POLYTECHNIC INSTITUTE
AND STATE UNIVERSITY
DEPT. OF INDUSTRIAL ENGINEERING
AND OPERATIONS RESEARCH
BLACKSBURG, VA

1

24061

MR. J. DOWLING
DEFENSE LOGISTICS STUDIES
INFORMATION EXCHANGE
ARMY LOGISTICS MANAGEMENT CENTER
FORT LEE,
VIRGINIA 20390

1

PROF. J. D. ESARY
DEPT. OF OPERATIONS RESEARCH AND
ADMINISTRATIVE SCIENCES
NAVAL POSTGRADUATE SCHOOL
MONTEREY,
CALIFORNIA 93940

1

DR. M. J. FISCHER
DEFENSE COMMUNICATIONS AGENCY
1860 WIEHLE AVENUE
RESTON
VIRGINIA
22070

1

NO. OF COPIES

PROF. C. P. GAVER
DEPT. OF OPERATIONS RESEARCH
NAVAL POSTGRADUATE SCHOOL
MONTEREY
CA

1

93940

MR. GENE F. GLEISSNER
APPLIED MATHEMATICS LABORATORY
DAVID TAYLOR NAVAL SHIP RESEARCH
AND DEVELOPMENT CENTER
BETHESDA
MD

1

20084

PROF. S. S. GUPTA
DEPARTMENT OF STATISTICS
PURDUE UNIVERSITY
LAFAYETTE
INDIANA 47907

1

PROF. D. L. HANSON
DEPT OF MATH. SCIENCES
STATE UNIVERSITY OF NEW YORK,
BINGHAMTON
BINGHAMTON
NY

1

13901

PROF. F. J. HARRIS
DEPT. OF ELECTRICAL ENGINEERING
SAN DIEGO STATE UNIVERSITY
SAN DIEGO
CA

1

92182

PROF. L. H. HERBACH
DEPT. OF OPERATIONS RESEARCH AND
SYSTEMS ANALYSIS
POLYTECHNIC INSTITUTE OF NEW YORK
BROOKLYN
NY

1

11201

PROF. M. J. HINICH
DEPARTMENT OF ECONOMICS
VIRGINIA POLYTECHNIC INSTITUTE
AND STATE UNIVERSITY
BLACKSBURG,
VIRGINIA 24061

1

PROF. W. M. HIRSCH
INSTITUTE OF MATHEMATICAL SCIENCES
NEW YORK UNIVERSITY
NEW YORK
NEW YORK 10453

1

PROF. C. L. IGLEHART
DEPARTMENT OF OPERATIONS RESEARCH
STANFORD UNIVERSITY
STANFORD,
CALIFORNIA
94350

1

NO. OF COPIES

PROF. J. B. KACANE
DEPARTMENT OF STATISTICS
CARNEGIE-MELLON
PITTSBURGH,
PENNSYLVANIA
15213

1

DR. RICHARD LAU
DIRECTOR
OFFICE OF NAVAL RESEARCH BRANCH OFF
1030 EAST GREEN STREET
PASADENA
CA

1

91101

DR. A. R. LAUFER
DIRECTOR
OFFICE OF NAVAL RESEARCH BRANCH OFF
1030 EAST GREEN STREET
PASADENA
CA

1

91101

PROF. M. LEADBETTER
DEPARTMENT OF STATISTICS
UNIVERSITY OF NORTH CAROLINA
CHAPEL HILL
NORTH CAROLINA 27514

1

DR. J. S. LEE
J. S. LEE ASSOCIATES, INC.
2001 JEFFERSON DAVIS HIGHWAY
SUITE 8C2
ARLINGTON
VA

1

22202

PROF. L. C. LEE
DEPARTMENT OF STATISTICS
VIRGINIA POLYTECHNIC INSTITUTE
AND STATE UNIVERSITY
BLACKSBURG
VA

1

24061

PROF. R. S. LEVENWORTH
DEPT. OF INDUSTRIAL AND SYSTEMS
ENGINEERING
UNIVERSITY OF FLORIDA
GAINSVILLE,
FLORIDA 32611

1

PROF. G. LIEBERMAN
STANFORD UNIVERSITY
DEPARTMENT OF OPERATIONS RESEARCH
STANFORD CALIFORNIA 94305

1

NO. OF COPIES

DR. JAMES F. MAAR
NATIONAL SECURITY AGENCY
FORT MEADE, MARYLAND
20755

1

PROF. R. W. MADSEN
DEPARTMENT OF STATISTICS
UNIVERSITY OF MISSOURI
COLUMBIA
MO

1

65201

DR. N. R. MANN
SCIENCE CENTER
ROCKWELL INTERNATIONAL CORPORATION
P.O. BOX 1085
THOUSAND OAKS,
CALIFORNIA 91360

1

DR. W. H. MARLOW
PROGRAM IN LOGISTICS
THE GEORGE WASHINGTON UNIVERSITY
707 22ND STREET, N. W.
WASHINGTON, D. C.
20037

1

PROF. E. MASRY
DEPT. APPLIED PHYSICS AND
INFORMATION SERVICE
UNIVERSITY OF CALIFORNIA
LA JOLLA
CALIFORNIA

1

92093

DR. BRUCE J. McDONALD
SCIENTIFIC DIRECTOR
SCIENTIFIC LIAISON GROUP
OFFICE OF NAVAL RESEARCH
AMERICAN EMBASSY - TOKYO
APO SAN FRANCISCO

1

96503

PROF. J. A. MUCKSTADT
DEPT. OF OPERATIONS RESEARCH
CORNELL UNIVERSITY
ITHACA,
NEW YORK
14850

1

DR. JANET M. MYRE
THE INSTITUTE OF DECISION SCIENCE
FOR BUSINESS AND PUBLIC POLICY
CLAREMONT MEN'S COLLEGE
CLAREMONT
CA

1

91711

MR. H. NISSELSOHN
BUREAU OF THE CENSUS
RCCM 2025
FEDERAL BUILDING 3
WASHINGTON,
D. C. 20533

1

NO. OF COPIES

MISS B. S. ORLEANS
NAVAL SEA SYSTEMS COMMAND
(SEA 03F)
RM 10S08
ARLINGTON VIRGINIA 20360

1

PROF. C. B. OWEN
DEPARTMENT OF STATISTICS
SOUTHERN METHODIST UNIVERSITY
DALLAS
TEXAS
75222

1

DR. A. PETRASOVITS
ROOM 207B , FOOD AND DRUG BLDG.
TUNNEY'S PASTURE
OTTAWA , CANADA K1A-0L2 ,
CANADA

1

PROF. S. L. PFENIX
SIBLEY SCHOOL OF MECHANICAL AND
AEROSPACE ENGINEERING
CORNELL UNIVERSITY
ITHACA
NY

1

14850

DR. A. L. POWELL
DIRECTOR
OFFICE OF NAVAL RESEARCH BRANCH OFF
495 SUMNER STREET
BOSTON
MA

1

02210

MR. F. R. PRIORI
CCCE 224 OPERATIONS TEST AND ONRS
EVALUATION FORCE (OPTEVFOR)
NORFOLK ,
VIRGINIA
20360

1

PROF. M. L. PURI
DEPT. OF MATHEMATICS
P.O. BOX F
INDIANA UNIVERSITY FOUNDATION
BLOOMINGTON
IN

1

47401

PROF. H. ROBBINS
DEPARTMENT OF MATHEMATICS
COLUMBIA UNIVERSITY
NEW YORK ,
NEW YORK 10027

1

NO. OF COPIES

PROF. M ROSENBLATT
DEPARTMENT OF MATHEMATICS
UNIVERSITY OF CALIFORNIA SAN DIEGO
LA JOLLA
CALIFORNIA

1

92093

PROF. S. M. ROSS
COLLEGE OF ENGINEERING
UNIVERSITY OF CALIFORNIA
BERKELEY
CA

1

94720

PROF. I RUBIN
SCHOOL OF ENGINEERING AND APPLIED
SCIENCE
UNIVERSITY OF CALIFORNIA
LOS ANGELES,
CALIFORNIA 90024

1

PROF. J. R. SAVAGE
DEPARTMENT OF STATISTICS
YALE UNIVERSITY
NEW HAVEN,
CONNECTICUT
06520

1

PROF. L. L. , JR. SCHARF
DEPARTMENT OF ELECTRICAL ENGINEERING
COLORADO STATE UNIVERSITY
FT. COLLINS,
COLORADO
80521

1

PROF. R. SERFLING
DEPARTMENT OF STATISTICS
FLORIDA STATE UNIVERSITY

1

TALLAHASSEE FLORIDA 32306

PROF. W. R. SCHUCANY
DEPARTMENT OF STATISTICS
SOUTHERN METHODIST UNIVERSITY
DALLAS,
TEXAS
75222

1

PROF. D. D. SIEGMUND
DEPT. OF STATISTICS
STANFORD UNIVERSITY
STANFORD
CA

1

94305

PROF. M. L. SPOOMAN
DEPT. OF ELECTRICAL ENGINEERING
POLYTECHNIC INSTITUTE OF NEW YORK
BROOKLYN,
NEW YORK
11201

1

PROF. N. SINGPURWALLA
DEPT. OF OPERATIONS RESEARCH
THE GEORGE WASHINGTON UNIVERSITY
707 22ND ST. N. W.
WASHINGTON, D. C.

1

20052

NO. OF COPIES

DR. A. L. SLAFKOSKY
SCIENTIFIC ADVISOR
COMMANCANT OF THE MARINE CORPS
WASHINGTON ,
D. C.
20380

1

MR. CHARLES S. SMITH
OASD (I&L),
PENTAGON
WASHINGTON
DC

1

20301

DR. D. E. SMITH
DESMATICS INC.
P.O. BOX 618
STATE COLLEGE
PENNSYLVANIA
16801

1

PROF. W. L. SMITH
DEPARTMENT OF STATISTICS
UNIVERSITY OF NORTH CAROLINA
CHAPEL HILL
NORTH CAROLINA 27514

1

PROF. H. SOLOMON
DEPARTMENT OF STATISTICS
STANFORD UNIVERSITY
STANFORD ,
CALIFORNIA
94305

1

MR. GLENN F. STAHLY
NATIONAL SECURITY AGENCY
FORT MEADE ,
MARYLAND 20755

1

MR. DAVID A. SWICK
ADVANCED PROJECTS GROUP
CODE 8103
NAVAL RESEARCH LAB.
WASHINGTON
DC

1

20375

MR. WENDELL G. SYKES
ARTHUR D. LITTLE, INC.
ACORN PARK
CAMBRIDGE
MA

1

02140

PROF. J. R. THOMPSON
DEPARTMENT OF MATHEMATICAL SCIENCE
RICE UNIVERSITY
HOUSTON,
TEXAS
77001

1

NO. OF COPIES

PROF. W. A. THOMPSON
DEPARTMENT OF STATISTICS
UNIVERSITY OF MISSOURI
COLUMBIA,
MISSOURI
65201

1

PROF. F. A. TILLMAN
DEPT. OF INDUSTRIAL ENGINEERING
KANSAS STATE UNIVERSITY
MANHATTAN
KS

1

66506

PROF. J. W. TUKEY
DEPARTMENT OF STATISTICS
PRINCETON UNIVERSITY

1

PRINCETON, N. J. 08540

PROF. A. F. VEINOTT
DEPARTMENT OF OPERATIONS RESEARCH
STANFORD UNIVERSITY
STANFORD
CALIFORNIA
94305

1

DANIEL H. WAGNER
STATION SQUARE ONE
PAOLI, PENNSYLVANIA
19301

1

PROF. GRACE WAHBA
DEPT. OF STATISTICS
UNIVERSITY OF WISCONSIN
MADISON
WI

1

53706

PROF. K. T. WALLENIUS
DEPARTMENT OF MATHEMATICAL SCIENCES
CLEMSON UNIVERSITY
CLEMSON,
SOUTH CAROLINA 29631

1

PROF. G. S. WATSON
DEPARTMENT OF STATISTICS
PRINCETON, N. J. 08540

1

PROF. BERNARD WIDROW
STANFORD ELECTRONICS LAB
STANFORD UNIVERSITY
STANFORD
CA

1

94305

PROF. G. E. WHITEHOUSE
DEPT. OF INDUSTRIAL ENGINEERING
LEHIGH UNIVERSITY
BETHLEHEM
PA

1

18015

PROF. S. ZACKS
DEPT. OF MATHEMATICS AND STATISTICS
CASE WESTERN RESERVE UNIVERSITY
CLEVELAND.,
CHIC
44106 1

PROF. M. ZIA-PASSAN
DEPARTMENT OF INDUSTRIAL AND
SYSTEMS ENGINEERING
ILLINOIS INSTITUTE OF TECHNOLOGY
CHICAGO
IL 60616 1

DR. DAVID BRILLINGER
STATISTICS DEPT.
UNIVERSITY OF CALIFORNIA
BERKELEY,
CALIFORNIA
94720 1

DR. CHIN CHEN
COMMONWEALTH ASSOCIATES, INC.
205 E. WASHINGTON
JACKSON, MI
49201 1

PROFESSOR PETER CHEN
ALFRED P. SLICAN SCHOOL OF MGMT
MASS INSTITUTE OF TECHNOLOGY
50 MEMORIAL DRIVE
CAMBRIDGE,
MASSACHUSETTS 02139 1

DR. E. CINLAR
O.R. DEPT.
NORTHWESTERN UNIVERSITY
EVANSTON,
ILLINOIS
60201 1

DR. GUY C CORYNEN
L. 156 UNIV OF CALIFORNIA
LAWRENCE LIVERMORE LABORATORY
P. O. BOX 808
LIVERMORE, CALIFORNIA
94550 1

DR. MICHAEL A. CRANE
CONTROL ANALYSIS CORPORATION
800 WELCH ROAD
PALO ALTO, CALIFORNIA 94304 1

DR. D. F. CALEY
STATISTICS DEPT. (I A S)
AUSTRALIAN NATIONAL UNIVERSITY
CANBERRA, A. C. T. 2606
AUSTRALIA 1

HSU DER-ANN 1
 SCH OF ENGR./APPLIED SCI.
 DEPT. OF CIVIL & GEOLOGICAL ENGR.
 THE ENGINEERING QUADRANGLE
 PRINCETON
 NEW JERSEY 08540

ASSISTANT DEAN EAV ELDREDGE 1
 SCHOOL OF BUSINESS ADMINISTRATION
 UNIVERSITY OF EVANSVILLE
 EVANSVILLE
 INDIANA
 47702

DR. G. W. FISHMAN 1
 CURRICULUM IN O. R.
 UNIVERSITY OF NORTH CAROLINA
 PHILLIPS ANNEX, CHAPPEL HILL
 NORTH CAROLINA
 27514

DR. A. V. HOLDEN 1
 DEPARTMENT OF PHYSIOLOGY
 THE UNIVERSITY
 LEEDS LS2 9JT
 ENGLAND

DR. EUGENE C. HOMER 1
 MANAGEMENT SCI. & ENGINEERING DEPT.
 C.W. POST COLLEGE
 OF LONG ISLAND UNIVERSITY
 GREENVALE, NEW YORK
 11548

DR. D. VERE JONES 1
 DEPT. OF MATHEMATICS,
 VICTORIA UNIVERSITY OF WELLINGTON,
 P. O. BOX 196
 WELLINGTON, NEW ZEALAND

J. M. LIITTSCHWAGER 1
 SYSTEMS DIVISION
 COLLEGE OF ENGINEERING
 THE UNIVERSITY OF IOWA
 IOWA CITY, IOWA
 52242

Y. W. DE KWAADSTENIET 1
 DEPARTMENT OF BIOLOGY
 FREE UNIVERSITY
 DE BOELELAAN 1087
 AMSTERDAM-BUITENVELDER
 THE NETHERLANDS

JACK P. LANCOLT 1
 DEFENCE & CIVIL INST. OF ENVIR. MED
 1123 SHEPARD AVE. WEST
 PO BOX 2000 DOWNSVIEW
 ONTARIO,
 CANADA

MR. FRANK MCNOLTY
1142 PCME AVE.
SUNNYVALE, CA
94087

1

DR. P. A. F. MCGRAN
STATISTICS DEPT. (I A S)
AUSTRALIAN NATIONAL UNIVERSITY
CANBERRA, A. C. T 2606
AUSTRALIA

1

G. W. MORRISON
OAK RIDGE NATIONAL LABORATORY
OAK RIDGE, TENNESSEE
37830

1

MR. BRADLEY NICKY
USDA - FOREST SERVICE
P. O. BOX 5007
FIVERSIDE
CALIFORNIA
92507

1

DR. DAVID CATES
DEPT. OF STATISTICS
HARVARD UNIVERSITY
SCIENCE CENTER, 1 OXFORD ST.
CAMBRIDGE, MA.
02132

1

Professor Emanuel Parzen, Director
Institute of Statistics
Texas A&M University
College Station, TX 77843

1

MR ART PETERSON
DEPT. OF BIOSTATISTICS SC-32
UNIVERSITY OF WASHINGTON
SEATTLE, WASHINGTON
98195

1

DAVID W. ROBINSON
CONTROL ANALYSIS CORPORATION
800 WELCH ROAD
PALO ALTO
CALIFORNIA
94304

1

C. H. SAUER (21-129)
THOMAS J. WATSON RESEARCH CENTER
P.O. BOX 219
YORKTOWN HEIGHTS, NEW YORK
10598

1

MR. C. A. STEELE JR 1
 F.C. BOX 45
 MAGNOLIA, MA
 01930

PROF. P. SULLO 1
 SCHOOL OF MANAGEMENT
 RENSSELAER POLYTECHNIC
 INSTITUTE
 TROY, N.Y.
 12181

DR. ROBERT TRAPPL 1
 INSTITUT FÜR ALLGEMEINE UND
 VERGLEICHENDE PHYSIOLOGIE DER
 UNIVERSITÄT WIEN
 SCHWARZSPANIERSTRASSE 17
 A-1090 WIEN ÖSTERREICH (AUSTRIA)

PALL A. WILLIS 1
 POLY TECHNICA
 2824 W. GEORGE MASON
 FALLS CHURCH, VA. 22042

TUNCAL M. YEGULALP 1
 KRLMB SCHOOL OF MINES
 918 S.W. MIDD
 COLUMBIA UNIVERSITY
 520 W. 120TH ST.
 NEW YORK, N.Y. 10027

SHIEGKI YOKOYAMA 1
 RESEARCH CENTER OF APPLIED
 INFORMATION SCIENCES
 TOHOKU UNIVERSITY
 KATAHIRA-CHO 2-1,
 SENDAI 980 JAPAN

Dean of Research 1
 Code 012
 Naval Postgraduate School
 Monterey, Ca. 93940

Library (Code 55) 1
 Naval Postgraduate School
 Monterey, CA 93940

NO. OF COPIES

Professor Peter Lewis
Code 55Lw
Naval Postgraduate School
Monterey, Ca. 93949

50

Mr. G. Shedler
K53-282
IBM Research Lab
Cottle Road
San Jose, Ca. 95193

25

R. J. Stampfel
Code 55
Naval Postgraduate School
Monterey, Ca. 93940

1

U185082

DUDLEY KNOX LIBRARY - RESEARCH REPORTS



5 6853 01058029 3

U185084